



Product Code CSEP100PTB1.3

CSEP100PTB05

Hazardous, NON-Dangerous Goods

1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product name: EPiC Epoxy100M Part B

Synonyms
EPIC EPOXY 100 PT "B" 1.6LT SUPPLY WITH 2.T PT "A"
EPIC EPOXY 100 PT B 8LT SUPPLY WITH 12L PT" A"

Recommended use: 2PK CLEAR SURFACE COATING

Supplier: Nutech Paint Pty Ltd
ABN: 94 242 116 396
4 Keppler Circuit

Seaford VIC 3198 Australia

Telephone: 03 9770-3000 **Facsimile**: 03 9775-1680

Emergency Telephone number: 03 9770-3000 (7:45 am-4:30 pm; Mon-Fri, AEST)

2. HAZARDS IDENTIFICATION

This material is hazardous according to the criteria of Safe Work Australia GHS 7.



Signal Word

Warning

11045

Hazard Classifications

Acute Toxicity - Oral - Category 5 Acute Toxicity - Dermal - Category 5 Skin Corrosion/Irritation - Category 2 Eye Damage/Irritation - Category 2A Sensitisation - Skin - Category 1 Acute Hazard to the Aquatic Environment - Category 3

Acute Hazard to the Aquatic Environment - Category 3 Chronic Hazard to the Aquatic Environment - Category 3

Hazard Statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

.

Prevention Precautionary Statements

P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P261	Avoid breathing dust, fume, gas, mist, vapours or spray.
P264	Wash hands, face and all exposed skin thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing including eye/face protection.

Response Precautionary Statements

Product Name: EPiC Epoxy100M Part B Reference No: NUTP0032



P101 If medical advice is needed, have product container or label at hand.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse

Storage Precautionary Statement

Not allocated

Disposal Precautionary Statement

P501 Dispose of contents/container in accordance with local, regional, national and

international regulations.

Poison Schedule: S5. Caution

DANGEROUS GOOD CLASSIFICATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

3. COMPOSITION INFORMATION

CHEMICAL ENTITY	CAS NO	PROPORTION
Benzyl alcohol Cyclohexanemethanamine, 5-amino-1,3,3-trimethyl- Amine compunds Ingredients determined to be Non-Hazardous	100-51-6 2855-13-2	40 – 70 % 10 – 30 % 15 – 40 % Balance
		100%

4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

Inhalation: Remove victim from exposure, avoid becoming a casualty. Allow patient to assume most conformable position and keep warm. Keep at rest until fully recovered. If breathing becomes laboured and patient becomes cyanotic, ensure airways are clear and have a qualified person give oxygen through a facemask. Seek IMMEDIATE medical attention

Skin Contact: If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Wash contaminated clothing before re-use. If irritation occurs seek medical advice.

Eye contact: If contact with the eye(s) occurs, wash with running water holding eye(s) open. Take care not to rinse contaminated water into non-affected eye. In all cases of eye contamination it is a sensible idea to seek medical advice.

Ingestion: If swallowed do not induce vomiting. Rinse the mouth out with water and give a glass of water. Do not give anything to an unconscious person and seek medical attention immediately

PPE for First Aiders: Wear safety shoes, overalls, gloves, safety glasses, respirator. Use with adequate ventilation. If inhalation risk exists wear organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash

Product Name: EPiC Epoxy100M Part B Reference No: NUTP0032

Issued: 2022-10-03 Version: 7a Page 2 of 7



contaminated clothing and other protective equipment before storing or re-using.

Notes to physician: Treat symptomatically. Effects may be delayed. Treat symptomatically.

5. FIRE FIGHTING MEASURES

Not applicable.

Hazchem Code:

If material is involved in a fire use water fog (or if unavailable fine water spray),

Subhole extinavishin standad foam, dry agent (carbon dioxide, dry chemical powder).

Specific hazards: Combustible material.

Fire fighting further advice: On burning or decomposing may emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion or decomposition.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILLS

Isolate area. Recover free liquid. Absorb in dry inert material and place in a sealable container and label accordingly. Avoid breathing vapours. Adequate ventilation or the use of breathing apparatus may be needed. Local authorities will need to be advised if spill is of a large enough volume

LARGE SPILLS

Isolate area. Recover free liquid. Absorb in dry inert material and place in a sealable container and label accordingly. Avoid breathing vapours. Adequate ventilation or the use of breathing apparatus may be needed. Local authorities will need to be advised if spill is of a large enough volume

Dangerous Goods - Initial Emergency Response Guide No: Not applicable

7. HANDLING AND STORAGE

Keep out of the reach of Children. Avoid contact with eyes or mouth and avoid repeated prolonged than the skin. Observe good hygiene practices after use of product.

Storage: Store in a cool dry place out of direct sunlight in a well ventilated area, away from ignition sources and not stored near oxidising materials. Containers should be sealed when not in use and should be checked on a regular basis for signs of damage or leaks.

This material is a Scheduled Poison Schedule 5 (Caution) and must be stored, maintained and used in accordance with the relevant regulations.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

No value assigned for this specific material by Safe Work Australia.

National occupational exposure limits:

Biological Nation Val Mestel Regulations for the Control of Workplace Hazardous

Substances (Safe Work Australia)" the ingredients in this material do not have a Biological Limit Allocated.

Engineering Measures: Natural ventilation should be adequate under normal use conditions.

Personal Protection Equipment: SAFETY SHOES, OVERALLS, GLOVES, SAFETY GLASSES, RESPIRATOR.

Product Name: EPiC Epoxy100M Part B Reference No: NUTP0032



Reference No: NUTP0032

Personal protective equipment (PPE) must be suitable for the nature of the work and any hazard associated with the work as identified by the risk assessment conducted.

Wear safety shoes, overalls, gloves, safety glasses, respirator. Use with adequate ventilation. If inhalation risk exists wear organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Hygiene measures: Practice strict hygiene – wash hands before breaks and after finishing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Base Units: Litres Form:

Colourless to Slight Yellow

Odour: Ammoniacal

Solubility:

Insoluble in Water

Solubility in water: < 0.1 g/l Specific Gravity: 1.03

Vapour Pressure: 13.7549 hPa @ 21°C

Boiling Point/Range (°C):

pH:

Total VOC (g/Litre):

96
205
9
0

(Typical values only - consult specification sheet) N Av = Not available, N App = Not applicable

10. STABILITY AND REACTIVITY

Stable under normal use conditions

Chemical stability:

Avoid excessive heat, direct sunlight, and moisture, freezing and static charges

Conditions to avoid:

Acids, peroxides, oxidising agents, zinc, tin, aluminium, Sodium or Calcium

Incompatible materials:

Hypochlorite.

Hazardous decomposition products: Nitrogen, Oxides of Carbon and Nitrogen. Hydrogen Cyanide gas can be generated occasionally

Hazardous reactions: Violent reaction with acids and hydroxyl compounds leading to large heat build-up and possible splashing or spattering of hot liquid.

11. TOXICOLOGICAL INFORMATION

Product Name: EPiC Epoxy100M Part B

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Acute Effects

Inhalation: Corrosive Material. May cause burns. Irritation to the nose, throat and lungs also may occur. A delayed fluid build in the lungs may occur due to inhalation of product.

Skin contact: Corrosive Material. Causes burns to skin and produce skin irritations. If exposure is long enough

Issued: 2022-10-03 Version: 7a Page 4 of 7



deep skin burns can occur. A skin sensitiser. Repeated or prolonged skin contact may lead to allergic contact dermatitis.

Ingestion: Corrosive to the gastrointestinal tract. Capable of causing burns with ulceration and possible third degree burns also.

Eye contact: Corrosive Material. Causes burns to eyes, tissue destruction, permanent damage to cornea with a risk of blindness.

Acute toxicity

Inhalation: This material has been classified as not hazardous for acute inhalation exposure. Acute toxicity estimate (based on ingredients): LC50 > 20.0 mg/L for vapours or LC50 > 5.0 mg/L for dust and mist.

Skin contact: This material has been classified as not hazardous for acute dermal exposure. Acute toxicity estimate (based on ingredients): LD50 > 2,000 mg/Kg bw

Ingestion: This material has been classified as not hazardous for acute ingestion exposure. Acute toxicity estimate (based on ingredients): LD50 > 2,000 mg/Kg bw

Corrosion/Irritancy: Eye: this material has been classified as a Category 2A Hazard (reversible effects to eyes). Skin: this material has been classified as a Category 2 Hazard (reversible effects to skin).

Sensitisation: Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this material has been classified as a Category 1 Hazard (skin sensitiser).

Aspiration hazard: This material has been classified as not an aspiration hazard.

Specific target organ toxicity (single exposure): This material has been classified as not a specific hazard to target organs by a single exposure.

Chronic Toxicity

Mutagenicity: This material has been classified as not a mutagen.

Carcinogenicity: This material has been classified as not a carcinogen.

Reproductive toxicity (including via lactation): This material has been classified as not a reproductive toxicant.

Specific target organ toxicity (repeat exposure): This material has been classified as not a specific hazard to target organs by repeat exposure.

12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

Acute aquatic hazard: LC50 (Benzyl Alcohol, 96hr) Bluegill Sunfish 10 mg/L, Fathead minnow 460 mg/LIC50 (Benzyl Alcohol, 72 hr) Algae 700 mg/L

Long-term aquatic hazard: This material has been classified as a Category Chronic 3 Hazard. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): 10 - 100 mg/L, where the substance is not rapidly degradable and/or BCF \geq 500 and/or log Kow \geq 4.

Ecotoxicity: Avoid contaminating the sewer system and waterways.LC50 (Benzyl Alcohol, 96hr) Bluegill Sunfish 10 mg/L, Fathead minnow 460 mg/LIC50 (Benzyl Alcohol, 72 hr) Algae 700 mg/L

Persistence and degradability: No information available.

Product Name: EPiC Epoxy100M Part B Reference No: NUTP0032

Issued: 2022-10-03 Version: 7a Page 5 of 7



Bioaccumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Any disposal of material should be done in accordance with the local authorities

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

MARINE TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT

as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous ations for transport by air.

This material is not subject to the following international agreements:

Montreal Protocol (Ozone depleting substances)

The Stockholm Convention (Persistent Organic Pollutants)

The Rotterdam Convention (Prior Informed Consent)

This material is subject to the following international agreements:

Basel Convention (Hazardous Waste)

Wastes from production, formulation and use of inks, dyes, pigments, paints, lacquers, varnish

International Convention for the Prevention of Pollution from Ships (MARPOL)

· Annex III - Harmful Substances carried in Packaged Form

This material/constituent(s) is covered by the following requirements:

The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) established under the Therapeutic Goods Act (Commonwealth): S5. Caution.

AICIS Status: Formulations where all components are AICS listed.

16. OTHER INFORMATION

Reasons for issue: Revised

> Product name change Minor Text Changes

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions. If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards

Product Name: EPiC Epoxy100M Part B Reference No: NUTP0032

Issued: 2022-10-03 Version: 7a Page 6 of 7



described in this sheet and of any precautions that should be taken.

Safety Data Sheets are updated frequently. Please ensure you have a current copy.

Product Name: EPiC Epoxy100M Part B Reference No: NUTP0032